

KEEP OUT OF REACH OF CHILDREN

**CYFLUMAIN 5 EC:** A Pyrethroidal public health insecticide with contact and stomach action acts also on the nervous system to control a wide range of insects which attacking public health.

It is also suited for impregnation of bed nets for the control of mosquitoes to prevent malaria

Active ingredient has a good sticking property adhering the treated surfaces for a longer period of time Features:

**CYFLUMAIN 5 EC:** Public health insecticide with contact and stomach action affect nervous system of the insect.

**CYFLUMAIN 5 EC:** Has a fast knockdown and long residual activity.

**CYFLUMAIN 5 EC:** Not accumulation in body tissues.

**CYFLUMAIN 5 EC:** Highly effective to insects at low rate.Mixes easily and has little or no smell, particularly suitable for sensitive applications

**CYFLUMAIN 5 EC:** Used to control public health insects such as: Cockroaches, Bugs, Tick, Fleas, Flies and Mosquitoes.

#### Rate Of Use:

Application	Target pest	Dilution rate	Application Rate
Residual surface spraying	Cockroaches, ants, lice, spiders, silverfish, flies, and mosquitoes	2 liter/ 100 liters of water	1 liter of spray solution / 200 square meters
	Termites		4 liters of spray solution/ 1 square meter
ultra-low volume	flies, mosquitoes, wasps	2 liter/50 liters of water, diesel, or kerosene	0.5 liters of spray solution/hectare
thermal fogging	Flies, mosquitoes	2 liter/ 150 liters of diesel or kerosene	5 liters of spray solution/hectare

**Re-Entry Period:** 48 hours after the last treatment

**Residual Activity:** About 2-3 weeks.

**Mixing:** Mixable with the most known pesticides.

Not miscible with highly alkaline or highly acidic materials.

**Storage:** Store CYFLUMAIN 5 EC in the original tightly closed container in a cool, dry and ventilated place away from children, food, feedstuffs and water after handling.

Remove contaminated clothing and water.

Protect against sunlight for prolonged periods.

Store in an authorized pesticide store.



# CYFLUMAIN 5 EC

## INSECTICIDE

### Public Health Insecticide

#### EMULSIFIABLE CONCENTRATE

#### Composition:

Active ingredient: Cyfluthrin.....5% (w/v)

Inert Ingredients:.....95% (w/v)

TOTAL.....100% (w/v)

## FOR PROFESSIONAL USE

**Net volume: 1 liter**



AGRI-VETA LTD

Country of Origin: Germany

Agri-Veta LTD  
Riebeckstraße 38 Leipzig PLZ 04317  
Deutschland,  
Germany

Read the entire Directions for Safety Use

**Disposal:** Dispose off by triple rinsing and crushing or perforating empty containers and dispose them in accordance with the National Regulations and Legislation on disposal. Do not re-use empty containers for any other purpose.

**Warranty:** The manufacturer guarantees the pesticide in its original containers under appropriate storage conditions for a period of 24 months from production date as a maximum, and the company does not bear responsibility for any damages resulting from misapplication or use.

#### Precautions:

- Avoid contact with skin and eyes. DO NOT eat or smoke when applying this chemical.
- CYFLUMAIN 5 EC is dangerous to fish and other aquatic organisms. Toxic to Bees.
- DO NOT contaminate ponds, water ways or ditches with the product or used containers.
- DO NOT apply when bees are actively foraging.

#### First aid:

**Skin or Clothing Contact:** Remove all contaminated clothes and shoes.

Wash off immediately with soap and plenty of water (15-20 minutes).

Get medical attention immediately.

**Eye Contact:** Flush eyes with tap water for at least 15 minutes. Consult an ophthalmologist.

**If Inhaled:** Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep person warm and at rest. Treat symptomatically and supportive.

Get medical attention immediately.

**If Ingestion:** Drink 1 or 2 glasses of water. DO NOT induce vomiting or give anything by mouth to unconscious person. Consult a physician Toxicological Information: It is moderately hazardous, dermal contact may cause allergic sensitization, eye contact may cause irritation.

**Notice To Doctor:** Symptoms of Poisoning: Nervousness, anxiety, convulsions, allergic manifestations.

**Antidote:** No known antidote. Treatment: Treat symptomatically

#### In case of fire:

- Activate fire systems and notify the competent authorities
- Remove the source of ignition.
- Contain the fire as much as possible and do not risk extinguishing the fire
- After extinguishing, treat the leak.

Batch No.:

Manf. Date:

Exp. Date:



Caution

