

KEEP OUT OF REACH OF CHILDREN

**DETERMAX SC:**

Used for cattle and sheep in outdoor sheds and indoor sheds through its SC formulation to provide a knockdown effect, controlling a wide range of animal pests.

**INDICATIONS:**

Helps control external parasitosis caused by ticks and lice in cattle, sheep, and camels.

**Areas of Use:** Hotels, Kitchens, Food storage areas, Hospitals (excl. occupied wards), Military establishments, Poultry farms, Dairies and Livestock, Municipal buildings, Refuse tips, Warehouses and Raw material stores.

**Mode of Application:** Can be used as a surface spray, crack and crevice spray, for cold or hot fogging, and targeted applications.

**Rate Of Use:**

Sites	Pests	Use Rate
Cattle, sheep, and camel sheds, both outdoor and indoor premises	Cattle Ticks Infestation	<ul style="list-style-type: none"><li>- 112.5 mg of DETERMENT for animals weighing 100 kg.</li><li>- 562.5 mg of DETERMENT for animals weighing 500 kg.</li><li>- Repeated every 5-4 weeks.</li><li>- (1 ml of DETERMENT for 2000 ml of water).</li></ul>
	Fly Infestation	<ul style="list-style-type: none"><li>For animals up to 100 kg:<ul style="list-style-type: none"><li>- 75 mg of DETERMENT for 300-100 kg animal weight.</li><li>- Repeated every 10-8 weeks.</li></ul></li><li>For animals over 300 kg:<ul style="list-style-type: none"><li>- 150 mg of DETERMENT for animals weighing over 300 kg.</li><li>- Repeated every 10-8 weeks.</li><li>- (1 ml of DETERMENT for 2000 ml of water).</li></ul></li></ul>
	Louse infection	<ul style="list-style-type: none"><li>For animals up to 500 kg:<ul style="list-style-type: none"><li>- 75 mg of DETERMENT.</li><li>- For animals over 500 kg: 150 mg of DETERMENT.</li><li>- Repeated every 10-8 weeks.</li><li>- (1 ml of DETERMENT for 2000 ml of water).</li></ul></li></ul>
	Sheep ticks, louse	<ul style="list-style-type: none"><li>- 75 mg of DETERMENT per 1 animal.</li><li>- Repeated every 10-8 weeks.</li><li>- 1 liter of DETERMENT for 2000 ml of water.</li></ul>

**Re-Entry Period:** 48 hours after the last treatment

**Residual Activity:** About 2-3 weeks.

**Mixing:** Mixable with the most known pesticides.

Not miscible with highly alkaline or highly acidic materials.

**Storage:** Store DETERMAX SC in the original tightly closed container in a cool, dry and ventilated place away from children, food, feedstuffs and water after handling.

Remove contaminated clothing and water.

Protect against sunlight for prolonged periods.

Store in an authorized pesticide store.



# DETERMAX SC

## INSECTICIDE

### Public Health Insecticide

#### SUSPENSION CONCENTRATE

#### Composition:

Active ingredient: Deltamethrin.....2.5% (w/v)

Inert Ingredients:.....97.5% (w/v)

TOTAL.....100% (w/v)

#### FOR PROFESSIONAL USE

**Net volume: 1 liter**



**Country of Origin:** Germany

Agri-Veta LTD  
Riebeckstraße 38 Leipzig PLZ 04317  
Deutschland,  
Germany

Caution



Read the entire Directions for Safety Use

**Disposal:** Dispose off by triple rinsing and crushing or perforating empty containers and dispose them in accordance with the National Regulations and Legislation on disposal. Do not re-use empty containers for any other purpose.

**Warranty:** The manufacturer guarantees the pesticide in its original containers under appropriate storage conditions for a period of 24 months from production date as a maximum, and the company does not bear responsibility for any damages resulting from misapplication or use.

**Precautions:**

-Avoid contact with skin and eyes. DO NOT eat or smoke when applying this chemical.

-DETERMAX SC is dangerous to fish and other aquatic organisms. Toxic to Bees.

-DO NOT contaminate ponds, water ways or ditches with the product or used containers.

-DO NOT apply when bees are actively foraging.

**First aid:**

**Skin or Clothing Contact:** Remove all contaminated clothes and shoes.

Wash off immediately with soap and plenty of water (15-20 minutes).

Get medical attention immediately.

**Eye Contact:** Flush eyes with tap water for at least 15 minutes. Consult an ophthalmologist.

**If Inhaled:** Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep person warm and at rest. Treat symptomatically and supportive.

Get medical attention immediately.

**If Ingestion:** Drink 1 or 2 glasses of water. DO NOT induce vomiting or give anything by mouth to unconscious person. Consult a physician Toxicological Information: It is moderately hazardous, dermal contact may cause allergic sensitization, eye contact may cause irritation.

**Notice To Doctor:** Symptoms of Poisoning: Nervousness, anxiety, convulsions, allergic manifestations.

**Antidote:** No known antidote. Treatment: Treat symptomatically

**In case of fire:**

-Activate fire systems and notify the competent authorities

- Remove the source of ignition.

-Contain the fire as much as possible and do not risk extinguishing the fire

-After extinguishing, treat the leak.

Batch No.:

Manf. Date:

Exp. Date:

