



LEVAN 20 SC

INSECTICIDE

Active Ingredients:

Imidacloprid

Available Formulation: 20% SC

**FOR AGRICULTURAL USE
KEEP OUT OF REACH OF CHILDREN**

Country of Origin: Germany

Manufacturing Company:

Agri-Veta LTD
Riebeckstraße 38 Leipzig PLZ 04317
Deutschland,
Germany

1 Liter



HARMFUL



LEVAN Is a Systemic insecticide with contact and ingestion action, recommended for the control of various insects in fruit trees, and other crops.

LEVAN: is safe for the plant and has better spread faster absorption of active ingredient by the plants resulting in better efficacy.

Mode of Action: Antagonist to the nicotinic acetyl choline receptor in the central nervous system, Imidacloprid disturbs the proper signal transmission system leading to excitation of nerve cell and consequently a disorder of the nervous system leading finally to the death of the treated insect.

Features:

- LEVAN has a better absorption by the plants, better efficacy
- Works at small dose and gives excellent control and longer protection against most sucking pests
- LEVAN application results in phytotonic effect on the treated crops, enhancing vigorous plant growth and providing stress shield

Safety Equipment:



RATE OF USE:

LEVAN 20 SC - (IMIDACLOPRID 20% SC)				
Crop	Target	Dilution rate	Application rate	PHI (DAYS)
DATE	Red Palm Weevil, Lesser Date Moth	5 ML PER 1 LTR OF WATER	1000 L OF DILUTION PER 1 HA	21 days
OLIVE	Olive Fruit Fly, Aphids, Olive stem borer			21 days
FRUITING CROPS	Aphids, Leaf Miners			1-3 days
TOMATO	Whiteflies, Aphids, Tomato Fruit Worm, Tomato leaf miners			1-3 days
MELON	Aphids, Thrips, Melon Worms			7 days
CUCUMBER	Whiteflies, Aphids, Cucumber Beetles			3 days
PEPPER	Aphids, Thrips, Pepper Weevil			7 days
SQUASH	Aphids, Thrips, Pepper Weevil			7 days
CABBAGE	Aphids, Cabbage Whitefly, Cabbage Root Maggot,			7 days
POTATO	Aphids, Whiteflies, Potato Tuber Moth			7 days
ONION	Thrips, Onion Maggots			7 days
STRAWBERRY	Aphids, Whiteflies, Strawberry Crown Borer, thrips			7 days
WHEAT	Aphids, Wheat Stem Sawfly			7 days
FODDER PRODUCTION FIELDS	Aphids, Wireworms Thrips, Leaf Miners			Not specified

PRECAUTIONS: WASH ANY CONTAMINATION from skin or eyes immediately.

WASH HANDS AND EXPOSED SKIN before meals and after use.
Keep only in the original container tightly closed.
Use appropriate containment to avoid environmental contamination.

Batch No.:
Manf. Date:
Exp. Date:

