

KEEP OUT OF REACH OF CHILDREN

**PROXYFENIC 10 EC:** IS AN INSECT GROWTH REGULATOR WITH A UNIQUE MODE OF ACTION AFFECTING THE MORPHOGENESIS, REPRODUCTION AND EMBRYOGENESIS OF INSECTS.

**PROXYFENIC 10 EC** provides powerful control against MOSQUITOES eggs and larvae. It stop production of Juvenile hormone, which is essential for the production of eggs in female insects.

**PROXYFENIC 10 EC** used to control of public health insect pests (flies, mosquitoes; ants, midges); applied to breeding sites (swamps, livestock, houses, etc.).

**Rate Of Use:**

Situation	Pest	Application Rate	Critical Comments
swamps, livestock, breeding sites	Flies, Mosquitoes	INITIAL TREATMENT: 20 ML/20 LT OF WATER APPLIED AS A TANK MIX WITH THE LABEL RATE OF REGISTERED ADULTICIDE. MAINTENANCE TREATMENTS: 20ML /20 LT OF WATER APPLIED ALONE	APPLY AS A COARSE SPRAY AT THE RATE OF 5 L/100 M2 OR TO THE POINT OF RUN OFF WHICH WILL VARY WITH THE NATURE OF THE SURFACE BEING TREATED.
	Fleas	40 ML / 20 LT OF WATER APPLIED AS A TANK MIX WITH THE LABEL RATE OF REGISTERED ADULTICIDE	RE-APPLY WHEN SIGNS OF INFESTATION REAPPEAR.
Cockroaches			

**Re-Entry Period:** 48 hours after the last treatment

**Residual Activity:** About 3 weeks.

**Mixing:** Mixable with the most known pesticides.

Not miscible with highly alkaline or highly acidic materials.

**Storage:** Store PROXYFENIC 10 EC in the original tightly closed container in a cool, dry and ventilated place away from children, food, feedstuffs and water after handling.

Remove contaminated clothing and water.

Protect against sunlight for prolonged periods.

Store in an authorized pesticide store.



# PROXYFENIC 10 EC

## INSECTICIDE

### Public Health Insecticide

#### EMULSIFIABLE CONCENTRATE

#### Composition:

Active ingredient: Pyriproxyfen.....10% (w/v)  
Inert Ingredients:.....90% (w/v)  
TOTAL.....100% (w/v)

#### FOR PROFESSIONAL USE

**Net volume: 1 liter**



AGRI-VETA LTD

Country of Origin: Germany  
Agri-Veta LTD  
Riebeckstraße 38 Leipzig PLZ 04317  
Deutschland,  
Germany



Caution



Read the entire Directions for Safety Use

**Disposal:** Dispose off by triple rinsing and crushing or perforating empty containers and dispose them in accordance with the National Regulations and Legislation on disposal.  
Do not re-use empty containers for any other purpose.

**Warranty:** The manufacturer guarantees the pesticide in its original containers under appropriate storage conditions for a period of 24 months from production date as a maximum, and the company does not bear responsibility for any damages resulting from misapplication or use.

**Precautions:**

- Avoid contact with skin and eyes. DO NOT eat or smoke when applying this chemical.
- PROXYFENIC 10 EC is dangerous to fish and other aquatic organisms. Toxic to Bees.
- DO NOT contaminate ponds, water ways or ditches with the product or used containers.
- DO NOT apply when bees are actively foraging.

**First aid:**

**Skin or Clothing Contact:** Remove all contaminated clothes and shoes.  
Wash off immediately with soap and plenty of water (15-20 minutes).

Get medical attention immediately.

**Eye Contact:** Flush eyes with tap water for at least 15 minutes. Consult an ophthalmologist.

**If Inhaled:** Remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep person warm and at rest. Treat symptomatically and supportive.

Get medical attention immediately.

**If Ingestion:** Drink 1 or 2 glasses of water. DO NOT induce vomiting or give anything by mouth to unconscious person. Consult a physician Toxicological Information: It is moderately hazardous, dermal contact may cause allergic sensitization, eye contact may cause irritation.

**Notice To Doctor:** Symptoms of Poisoning: Nervousness, anxiety, convulsions, allergic manifestations.

**Antidote:** No known antidote. Treatment: Treat symptomatically

**In case of fire:**

- Activate fire systems and notify the competent authorities
- Remove the source of ignition.
- Contain the fire as much as possible and do not risk extinguishing the fire
- After extinguishing, treat the leak.

Batch No.:

Manf. Date:

Exp. Date:

